

# **NEOLONE® BioG Preservative – Naturally derived preservative** for your personal care formulations

Sustainable broad spectrum preservative based on Ethyl Lauroyl Arginate (LAE®) for personal care characterized by:

## Safety

LAE® is non-irritating and non-sensitizing at recommended use levels for cosmetic applications.

#### Acceptance

LAE® is widely approved\* for use in leave-on and rinse-off products.

# **Product description**

LAE®, the active ingredient of NEOLONE® BioG Preservative has a wide spectrum of activity against gram positive and gram negative bacteria, yeast and mold. Due to its cationic molecular structure, LAE® induces the loss of bacterial cell viability by disturbing their cell membrane potential and altering cell permeability. NEOLONE® BioG Preservative products provide an excellent preservation activity in cosmetic products formulated with compatible ingredients and their efficacy can be further enhanced with the use of recommended boosters and multifunctional ingredients. LAE® has an excellent Environmental Health and Safety profile. At recommended use levels it is non-irritating and non-sensitizing. LAE® is readily biodegradable and has low toxicity for aquatic organisms.

# ■ Naturally derived ingredients

NEOLONE® BioG Preservative meets ISO 16128 definition of a naturally derived ingredient and is COSMOS raw material approved. Raw materials for NEOLONE® Bio LAE® are derived from non-GMO corn, sugar beet sugar cane and sustainably sourced palm oil.

#### **■** Effectiveness

Strong antimicrobial acitivity against molds, yeasts, gramnegative, and gram-positive bacteria.

# Safe for consumers and the environment

# **NEOLONE® BioG Preservative**

LAE $^{\circ}$  in Glycerin. Liquid form for ease of formulating. Recommended dose 0.25–2.0%

- NEOLONE® BioG Preservative is best added post emulsification when cooling to ~45 °C
- Ensure the formulation is not too basic before LAE® additions pH < 7. Keep final product pH below 6 to minimize LAE® hydrolysis and maintain performance
- Incorporate with sufficient mixing
- Avoid incompatible ingredients
- \* Please contact your LANXESS representative to check the specific approval status in your country

# **NEOLONE® BioG Preservative**

# **NEOLONE® BioG Preservative**

# Your partner for preservation solutions

- LAE® safety for consumers at recommended use level has been confirmed by the European Scientific Committee on Consumer Safety based on extensive toxicology and skin irritation data
- NEOLONE® BioG Preservative is readily biodegradale and does not bioaccumulate
- Naturally derived (ISO 16128)
- COSMOS raw material approved
- NEOLONE® BioG Preservative contains raw materials which are obtained from palm oil. The raw materials are RSPO certified
- Listed as preservative for cosmetics on Annex V of the European Cosmetics Products Regulation
- Non-animal origin: does not contain any animal ingredients, by-products or derivatives


# **Regional availability**

United states, Europe, Southeast Asia.

#### **Applications**

Approved for leave on and rinse off applications, such as creams, lotions, micellar water and conditioners.

# A preservative derived from natural raw materials INCI: Ethyl Lauroyl Arginate HCI, LAE®



## **Formulation**

We as LANXESS, Business Line CARE, are dedicated to delivering innovative and sustainable preservation solutions with advanced technical and regulatory expertise on a global level.

With our microbiology know-how and our network of global R&D hubs, we are providing our customers with safe, high-quality and effective products in a sustainable way.

For information on the appropriate dosage, possible combinations and formulation specifics of this preservative for your individual application, please contact your LANXESS representative to closely support you.

# ContactCare@lanxess.com

Characteristics	
INCI	NEOLONE® BioG Preservative:
	Glycerin and Ethyl lauroyl arginate HCl
	NEOLONE® BioT Preservative:
	Ethyl lauroyl arginate HCl
Form/ consistency	NEOLONE® BioG Preservative:
	Liquid, solution in glycerin
	NEOLONE® BioT Preservative:
	powder
Odor	No Odor;
	No influence on the finished product
	at recommended use level
Solubility (LAE®)	Soluble in water, glycerin, ethanol
	Solubility in water (OECD 105):
	247 g/kg at 20°C
	Critical Micelle Concentration
	(CMC): 2100-2500 ppm at 20°C,
	1900–2000 ppm at 25°C
	Log Pow (octanol/water)
	(OECD 117): 1.43 at 20°C

# **NEOLONE® BioG Preservative**

Formulation	
Recommended use level/ dosage	NEOLONE® BioG Preservative: 0.25 – 2%
	NEOLONE® BioT Preservative: 0.057 – 0.46%
Optimal pH range	3-6
Thermostability	Stable at the processing temperature up to 80°C
Point of incorporation	Add after emulsification (either cold or hot process)
	■ In hot process, addition after cooling below 45°C
Incompatibilities	Anionic thickeners:
	Such as: Polyacrylic acid (PAA) based polymers (carbopol, carbomer), Xanthan gum,
	Carboxymethyl cellulose (CMC), Carrageenan
	Anionic Surfactants:
	Such as: Sodium laureth or Lauryl sulfate (SLES/SLS), Alkyl phosphates or carboxylates
	Compatible Thickeners:
	<b>Non-ionic gum thickeners</b> (e.g. Tara gum <sup>(1)</sup> , Guar gum <sup>(1)</sup> , Locust bean gum <sup>(1)</sup> ,
	Cellulose ether <sup>(1)</sup> , Zea Mays starch <sup>(1)</sup> , Sclerotium <sup>(1)</sup> ) or combination with Xanthan gum
	Viscosity adjustment with structuring agents (e.g. Cetearyl alcohol <sup>(1)</sup> )
	Cationic thickener (e.g. Polyquaternium (Polyquat 37), modified Cationic guars)
Compatibilities	Compatible Surfactants:
	<b>Non-ionic surfactants</b> (e.g. Alkyl glucoside <sup>(1)</sup> , Ethoxylated alcohol, Fatty alcohol <sup>(1)</sup> , etc)
	amphoteric (e.g. Cocamidopropyl betaines)
	Cationic surfactants (e.g. long chain or dialkyl quaternaries)
	Anionic active ingredients (e.g.: Sodium hyaluronate <sup>(1)</sup> , Sodium lactate <sup>(1)</sup> )
	Amphoteric active ingredients (e.g.: Betaine <sup>(1)</sup> )
	Anionic preservatives (e.g. Sodium benzoate <sup>(1)</sup> , Potassium sorbate <sup>(1)</sup> ,
	Sodium dehydroacetate <sup>(1)</sup> )
Preservatives or multifunctional additives	The following preservatives or multifunctional additives passed the LANXESS Challenge
	test in a COSMOS compliant cream formulation in combination with 0.55 to 1.15% of
	NEOLONE® BioG Preservative ■ 0.3 – 0.5% Sodium benzoate <sup>(1)(2)</sup>
	■ 0.3 – 0.3% Sodium benzoate (**)  ■ 0.1 – 0.3% Na Dehydroacetate (*)(2)
	■ 0.1 – 0.3% Na Anisate <sup>(1)(2)</sup>
	■ 0.5 – 1% 1,2-Hexanediol
	■ 0.1−0.3%
	■ 0.3-0.7% Glyceryl caprylate <sup>(1)(2)</sup>
	■ 0.1-0.3% Gluconolactone <sup>(1)(2)</sup>
	■ 0.33-0.65% Benzyl alcohol <sup>(1)(2)</sup> + 0.025-0.05% Cinnamic acid <sup>(1)(2)</sup>
	Other Options for enhancing performance:
	Add low dosages of high HLB surfactants (solubilizers to the water phase before
	emulsification)
	Examples: PEG-40 hydrogenated castor oil (HLB 12.5) (from 2:1 to 1:2)
	Polysorbate-20 (HLB 16.7) (from 2:1 to 1:2)
	Caprylyl glucoside <sup>(1)(2)</sup> (HLB 13 – 14) (from 2:1 to 1:2)

 $<sup>\</sup>ensuremath{^{(1)}}$  Ingredients suitable for COSMOS compliant formulations

Dosage levels should be verified with testing due to the variation in personal care formulations and their susceptibility to microbial contamination. Check with your local LANXESS representative for availability and regulatory limits that may apply.



# **LANXESS Deutschland GmbH**

Business Unit: Material Protection Products Kennedyplatz 1 50569 Cologne Germany

Phone: +49 221 8885-1299

We kindly ask you to send customer inquiries to: ContactCare@lanxess.com microbialcontrol.lanxess.com This information, including any formuations, and our technical advice – whether verbal, in writing or by way of trials – is subject to change without notice and given in good faith but without warranty or guarantee, express or implied, and this also applies where proprietary rights of third parties are involved. Our advice does not release you from the obligation to verify the information currently provided – especially that contained in our safety data and technical information sheets – and to test our products as to their suitability for the intended processes and uses. The application, use and processing of our products and the products manufactured by you on the basis of our technical advice are beyond our control and, therefore, entirely your own responsibility. Our products are sold in accordance with the current version of our General Conditions of Sale and Delivery.

**Note:** information contained in this publication is current as of March, 2023. Please contact LANXESS Deutschland GmbH to determine if this publication has been revised.

©2023 LANXESS. NEOLONE®, LANXESS and the LANXESS Logo are trademarks of LANXESS Deutschland GmbH or its affiliates. All trademarks are registered in many countries in the world.