### FIRST AID MEASURES

**General advice:** Never give anything by mouth to an unconscious person. When symptoms persist or in all cases of doubt seek medical advice.

Inhalation: Remove from exposure, lie down. If victim has stopped breathing: Artificial respiration and/or oxygen may be necessary. Consult a physician.

**Skin contact:** Take off all contaminated clothing immediately. Wash off immediately with plenty of water. Wash contaminated clothing before re-use. Consult a physician.

**Eye contact:** Rinse immediately with plenty of water and seek medical advice. Ingestion: Do NOT induce vomiting. If conscious, drink plenty of water. Call a physician immediately.

### PRECAUTIONS

As with all disinfectants, wash splashes of solution from skin and eyes immediately. Do not mix with other chemical solutions, except those recommended by the manufacturers. DO NOT prepare concentrated solutions for later dilution. Rely+On™ Virkon™ solution must not be used on medical devices. Additional precautions are provided on the container label; always read prior to use. Not for use on food contact surfaces. Not to be used on Medical Devices. For professional use only.

#### STORAGE

Store closed containers in a cool, dry place. Store prepared solution out of direct sunlight at ambient temperature (15-25°C). The tablet product container contains a desiccant sachet, and should be retained in the container at all times.

### DISPOSAL

Unused solutions of Rely+On™ Virkon™ may be disposed of via normal liquid waste systems, such as sinks and drains connected to the municipal sewer system in accordance with local authority regulations. DO NOT dispose of to storm water drains or any other unprotected water systems. Dispose of waste packaging and/or waste powder/tablets in accordance with local requirements.

### Manufactured by:

Antec International Limited
Windham Road, Chilton Industrial Estate,
Sudbury, Suffolk, CO10 2XD, United Kingdom
Tel: +44 (0) 1787 377 305
Fax: +44 (0) 1787 310 846
relyondisinfection@lanxess.com
www.relyondisinfection.com

Emergency Tel: +49 214 30 99300 (Size CHEMPARK Leverkusen)

### LANXESS Pte. Ltd.

#07-10 ICON at IBP Tower B 3A International Business Park Singapore 609935

©2020 LANXESS. Rely+On™ Virkon™, LANXESS™ and the LANXESS Logo are trademarks of LANXESS Deutschland GmbH or its affiliates. All trademarks are registered in many countries worldwide.

57793397/Virk/IFU/SP/23.04.20/Z

# FIRST AID MEASURES

**General advice:** Never give anything by mouth to an unconscious person. When symptoms persist or in all cases of doubt seek medical advice.

Inhalation: Remove from exposure, lie down. If victim has stopped breathing: Artificial respiration and/or oxygen may be necessary. Consult a physician.

Skin contact: Take off all contaminated clothing immediately. Wash off immediately with plenty of water. Wash contaminated clothing before re-use. Consult a physician.

**Eye contact:** Rinse immediately with plenty of water and seek medical advice. Ingestion: Do NOT induce vomiting. If conscious, drink plenty of water. Call a physician immediately.

# PRECAUTIONS

As with all disinfectants, wash splashes of solution from skin and eyes immediately. Do not mix with other chemical solutions, except those recommended by the manufacturers. DO NOT prepare concentrated solutions for later dilution. Rely+On™ Virkon™ solution must not be used on medical devices. Additional precautions are provided on the container label; always read prior to use. Not for use on food contact surfaces. Not to be used on Medical Devices. For professional use only.

### STORAGE

Store closed containers in a cool, dry place. Store prepared solution out of direct sunlight at ambient temperature (15-25°C). The tablet product container contains a desiccant sachet, and should be retained in the container at all times.

# DISPOSAL

Unused solutions of Rely+On™ Virkon™ may be disposed of via normal liquid waste systems, such as sinks and drains connected to the municipal sewer system in accordance with local authority regulations. DO NOT dispose of to storm water drains or any other unprotected water systems. Dispose of waste packaging and/or waste powder/tablets in accordance with local requirements.

### Manufactured by:

Antec International Limited Windham Road, Chilton Industrial Estate, Sudbury, Suffolk, CO10 2XD, United Kingdom Tel: +44 (0) 1787 377 305 Fax: +44 (0) 1787 310 846 relyondisinfection@lanxess.com www.relyondisinfection.com

Emergency Tel: +49 214 30 99300 (Size CHEMPARK Leverkusen)

### LANXESS Pte. Ltd.

#07-10 ICON at IBP Tower B 3A International Business Park Singapore 609935

©2020LANXESS. Rely+On™ Virkon™, LANXESS™ and the LANXESS Logo are trademarks of LANXESS Deutschland GmbH or its affiliates. All trademarks are registered in many countries worldwide.

# Rely+On™ Virkon™

TANXF22

High Level Surface Disinfectant

Tablets / Powder

Virucidal

**Bactericidal** 

**Fungicidal** 



Tablets / Powder

Virucidal

**Bactericidal** 

**Fungicidal** 

### Applications and instructions for use

Rely+On™ Virkon™ is suitable for disinfection of surfaces that transmit infectious diseases in many environments. These include healthcare institutions, pathology and clinical research laboratories, food production, preparation and catering establishments, hotel and residential settings and transport.

Application of Rely+On™ Virkon™ solution is especially effective for routine preventative disinfection and for terminal decontamination in an infectious disease outbreak.

The frequency of routine use will depend on the infection control practices of the facility in question. Consult your local representative contact for further advice.

# Rely+On™ Virkon™ highly tolerant of organic challenge with its biocidal efficacy retained in 'dirty' conditions

Rely+On™ Virkon™ is proven effective against viral, bacterial and fungal pathogens of interest to infection control, including HIV, hepatitis B and C, MRSA, VRE, Salmonella and human coronavirus.

Examples of specific organisms relevant to human infectious diseases are listed below.

#### VIRUSES

Family	Example(s)	
Herpesviridae	Herpes Simplex	
Adenoviridae	Human Adenovirus	
Picornaviridie	Polio Type 1	
Hepadnaviridae	Hepatitis B	
Flaviviridae	Hepatitis C	
BACTERIA		
E. coli 0157	Legionella	
Campylobacter	Klebsiella pneumoniae	
Shigella	Staphylococci (inc. MRSA)	
FUNGI		
Candida albicans	Trichophyton sp.	

Family	Example(s)	
Calicviridae	Norwalk-like virus	
Coronaviridae	SARS virus	
Paramyxoviridae	AI H5N1	
Retroviridae	HIV Type 1	
Orthomyxoviridae	Swine Influenza A (H1N1)	
Listeria	Salmonella	
Listeria	Salmonella	
Streptococci	Pseudomonas	
Clostridium sporogenes	Enterococcus faecalis (VRE)	

### SURFACES

Hard Surfaces: Floors, laboratory benches, work tops, bed frames, tables, sinks, baths, toilets, etc. in Healthcare Institutions, Laboratories, Food and Catering establishments and public environments.

- 1. Prepare a 1% solution as per directions on label or shown opposite.
- 2. Small areas: apply Rely+On™ Virkon™ solution via a spray bottle. Large areas: apply Rely+On™ Virkon™ solution with a cloth or mop for floors.
- Leave solution on the surface for 10 minutes, wipe dry with absorbent paper towel or cloth to remove any residue and then discard to waste.

### LABORATORY EQUIPMENT (Centrifuges, Clinical Analysers, pipettes etc.)

- 1. Prepare 1% solution as directed.
- 2. a) Equipment: wipe over surfaces which may be contaminated with infected material. Sample probes and tubing can be decontaminated by aspiration of Rely+On™ Virkon™ solution. Always check compatibility of Rely+On™ Virkon™ with components with manufacturer of equipment before proceeding
- b) Discard jars: fill jar or container with fresh solution daily.

# BODY FLUID SPILLAGES (blood, urine, vomitus, etc)

Hard Surfaces: Dispense Rely+On™ Virkon™ powder or crush a tablet directly onto the spillage until all liquid is absorbed. Scrape or sweep damp powder into container for disposal. After removal of damp powder, apply a 1% solution to the affected area and items used for disposal. Allow 10 minutes contact time and wipe to remove solution/ residue with cloth or paper towels.

### PREPARATION OF SOLUTION

Add 5g of powder or 1 x 5g tablet per 500mls of lukewarm water. Mix thoroughly until completely dissolved to form a pink coloured solution.

Powder	Tablet	Water
5gm	1	500mls
10gm	2	1 Litre
20gm	4	2 Litres
50gm	10	5 Litres

1% Rely+On™ Virkon™ solutions are stable for up to 5 days. Recommended good practice is that solutions are replenished and discarded daily.

# Applications and instructions for use

Rely+On™ Virkon™ is suitable for disinfection of surfaces that transmit infectious diseases in many environments. These include healthcare institutions, pathology and clinical research laboratories, food production, preparation and catering establishments, hotel and residential settings and transport.

Application of Rely+On<sup>TM</sup> Virkon<sup>TM</sup> solution is especially effective for routine preventative disinfection and for terminal decontamination in an infectious disease outbreak.

The frequency of routine use will depend on the infection control practices of the facility in question. Consult your local representative contact for further achieve.

Rely+On™ Virkon™ highly tolerant of organic challenge with its biocidal efficacy retained in 'dirty' conditions.

Rely+ $On^{TM}$  Virkon $^{TM}$  is proven effective against viral, bacterial and fungal pathogens of interest to infection control, including HIV, hepatitis B and C, MRSA, VRE, Salmonella and human coronavirus.

Examples of specific organisms relevant to human infectious diseases are listed below.

### SURFACES

Hard Surfaces: Floors, laboratory benches, work tops, bed frames, tables, sinks, baths, toilets, etc. in Healthcare Institutions, Laboratories, Food and Catering establishments and public environments.

- Prepare a 1% solution as per directions on label or shown opposite
- 2. Small areas: apply Rely+On™ Virkon™ solution via a spray bottle. Large areas: apply Rely+On™ Virkon™ solution with a cloth or mop for floors.
- Leave solution on the surface for 10 minutes, wipe dry with absorbent paper towel or cloth to remove any residue and then discard to waste.

# LABORATORY EQUIPMENT (Centrifuges, Clinical Analysers, pipettes etc.)

- Prepare 1% solution as directed.
- 2. a) Equipment: wipe over surfaces which may be contaminated with infected material. Sample probes and tubing can be decontaminated by aspiration of Rely+On™ Virkon™ solution. Always check compatibility of Rely+On™ Virkon™ with components with manufacturer of equipment before proceeding
- b) Discard jars: fill jar or container with fresh solution daily.

# BODY FLUID SPILLAGES (blood, urine, vomitus, etc)

Hard Surfaces: Dispense Rely+On™ Virkon™ powder or crush a tablet directly onto the spillage until all liquid is absorbed. Scrape or sweep damp powder into container for disposal. After removal of damp powder, apply a 1% solution to the affected area and items used for disposal. Allow 10 minutes contact time and wipe to remove solution/ residue with cloth or paper towels.

### PREPARATION OF SOLUTION

Add 5g of powder or 1 x 5g tablet per 500mls of lukewarm water. Mix thoroughly until completely dissolved to form a pink coloured solution.

Powder	Tablet	Water
5gm	1	500mls
10gm	2	1 Litre
20gm	4	2 Litres
50gm	10	5 Litres

1% Rely+On™ Virkon™ solutions are stable for up to 5 days. Recommended good practice is that solutions are replenished and discarded daily.

### VIRUSES

Family	Example(s)	
Herpesviridae	Herpes Simplex	
Adenoviridae	Human Adenovirus	
Picornaviridie	Polio Type 1	
Hepadnaviridae	Hepatitis B	
Flaviviridae	Hepatitis C	
BACTERIA		
E. coli 0157 Legionella		
Campylobacter	Klebsiella pneumoniae	
Shigella	Staphylococci (inc. MRSA)	
FUNGI	_	
Candida albicans	Trichophyton sp.	

ramily Example(s)		
Calicviridae	Norwalk-like virus	
Coronaviridae	SARS virus	
Paramyxoviridae	AI H5N1	
Retroviridae	HIV Type 1	
Orthomyxoviridae	Swine Influenza A (H1N1)	
Listeria	Salmonella	
Streptococci	Pseudomonas	
Clostridium sporogenes	Enterococcus faecalis (VRE)	
Saccharomyces	Aspergillus	

fumigatus

cerevisiae