

# Virkon™ S (Reduced Dye and Fragrance free)

Version Revision Date: SDS Number: Date of last issue: -

1.0 09/30/2020 203000008923 Country / Language: US / EN

#### **SECTION 1. IDENTIFICATION**

Product name : Virkon™ S (Reduced Dye and Fragrance free)

Product code : 00000000057818072

EPA registration number : 39967-137

Manufacturer or supplier's details

Company : LANXESS Corporation

**Product Safety & Regulatory Affairs** 

111 RIDC Park West Drive

Pittsburgh, Pennsylvania 15275-1112

Responsible Department : (800) LANXESS

(412) 809-1000

lanxesshes@lanxess.com

Emergency telephone number : CHEMTREC (800) 424-9300 or

(703) 527-3887 (Outside U.S.A) and mention CCN12916.

Lanxess Emergency Phone (866) 673 6350.

Recommended use of the chemical and restrictions on use

Recommended use : Disinfectants

Cleaning agent

#### **SECTION 2. HAZARDS IDENTIFICATION**

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR

1910.1200).

Skin irritation : Category 2

Serious eye damage : Category 1

**GHS** label elements

Hazard pictograms :

Signal word : Danger

Hazard statements : Causes skin irritation.

Causes serious eye damage.

Precautionary statements : Prevention:



# Virkon™ S (Reduced Dye and Fragrance free)

Version Revision Date: SDS Number: Date of last issue: -

1.0 09/30/2020 203000008923 Country / Language: US / EN

Wash skin thoroughly after handling.

Wear protective gloves/ eye protection/ face protection.

Response:

IF ON SKIN: Wash with plenty of soap and water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor. If skin irritation occurs: Get medical advice/ attention. Take off contaminated clothing and wash before reuse.

#### Other hazards

None known.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

#### Components

| Chemical name                  | CAS-No.    | Concentration (% w/w) |
|--------------------------------|------------|-----------------------|
| pentapotassium                 | 70693-62-8 | >= 50 - < 70          |
| bis(peroxymonosulphate)        |            |                       |
| bis(sulphate)                  |            |                       |
| sodium dodecylbenzenesulfonate | 25155-30-0 | >= 10 - < 20          |
| malic acid                     | 6915-15-7  | >= 5 - < 10           |
| sulphamidic acid               | 5329-14-6  | >= 1 - < 5            |
| potassium hydrogensulphate     | 7646-93-7  | >= 1 - < 5            |
| dipotassium peroxodisulphate   | 7727-21-1  | >= 1 - < 5            |

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

#### **SECTION 4. FIRST AID MEASURES**

If inhaled : If inhaled, remove to fresh air.

Get medical attention if symptoms appear.

In case of skin contact : Wash off with soap and water.

Continue to rinse for at least 20 minutes. Get medical attention if symptoms occur. Wash contaminated clothing before reuse.

In case of eye contact : Get medical attention immediately.

In case of contact, flush eyes with plenty of water for at least 30 minutes. Use fingers to ensure that eyelids are separated

and that the eye is being irrigated.

Remove contact lenses, if present and easy to do. Continue

rinsing.

Chemical burns must be treated promptly by a physician.

If swallowed : Rinse mouth with water.

2/22



# Virkon™ S (Reduced Dye and Fragrance free)

Version Revision Date: SDS Number: Date of last issue: -

1.0 09/30/2020 203000008923 Country / Language: US / EN

Do not induce vomiting unless directed to do by medical per-

sonnel.

Get medical attention if symptoms occur.

Most important symptoms and effects, both acute and delayed

Symptoms : Eye: Causes irritation with symptoms of reddening, tearing,

stinging, and swelling.

Skin: Causes irritation with symptoms of reddening, itching,

and swelling.

Effects : Causes skin irritation.

Causes serious eye damage.

Notes to physician : Treat symptomatically.

**SECTION 5. FIREFIGHTING MEASURES** 

Suitable extinguishing media : Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

In case of fire, use water spray (fog), foam or dry chemical.

Unsuitable extinguishing

media

Do not use water jet.

Carbon dioxide (CO2)

Specific hazards during fire-

fighting

Toxic and irritating gases/fumes may be given off during burn-

ing or thermal decomposition.

Water runoff from fire fighting may be corrosive.

Hazardous combustion prod: :

ucts

Phosphorus oxides

Sulphur oxides Metal oxides

Carbon dioxide (CO2) Carbon monoxide Nitrogen oxides (NOx) Halogenated compounds

Further information : Promptly isolate the scene by removing all persons from the

vicinity of the incident if there is a fire.

No action shall be taken involving any personal risk or without

suitable training.

Special protective equipment:

for firefighters

Wear self-contained breathing apparatus for firefighting if nec-

essary.

**SECTION 6. ACCIDENTAL RELEASE MEASURES** 

Personal precautions, protec- : No action shall be taken involving any personal risk or without

3/22



# Virkon™ S (Reduced Dye and Fragrance free)

Version Revision Date: SDS Number: Date of last issue: -

1.0 09/30/2020 203000008923 Country / Language: US / EN

tive equipment and emer-

gency procedures

suitable training.

Put on appropriate personal protection equipment. Do not touch or walk through spilled material.

Evacuate personnel to safe areas.

Keep unnecessary and unprotected personnel from entering.

Provide adequate ventilation.

Avoid breathing dust.

Environmental precautions

Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

Move containers from spill area.

Keep people away from and upwind of spill/leak.

Avoid dust formation. Do not dry sweep.

Vacuum dust with equipment fitted with a HEPA filter and

place in a closed, labeled waste container.

Dispose of wastes in an approved waste disposal facility.

# **SECTION 7. HANDLING AND STORAGE**

Advice on safe handling : Remove contaminated clothing and protective equipment be-

fore entering eating areas.

Workers should wash hands and face before eating, drinking

and smoking.

Put on appropriate personal protection equipment.

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Avoid inhalation, ingestion and contact with skin and eyes.

Use only with adequate ventilation.

Conditions for safe storage : Store in accordance with local regulations.

Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible

materials (see Section 10) and food and drink.

Keep container closed when not in use.

Containers that have been opened must be carefully resealed

and kept upright to prevent leakage. Do not store in unlabeled containers.

Use appropriate container to avoid environmental contamina-

tion.

Empty containers retain residue and can be dangerous.

Do not reuse container.

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### Components with workplace control parameters

4/22



# Virkon™ S (Reduced Dye and Fragrance free)

Version Revision Date: SDS Number: Date of last issue: -

1.0 09/30/2020 203000008923 Country / Language: US / EN

| Components                   | CAS-No.   | Value type<br>(Form of<br>exposure) | Control parameters / Permissible concentration | Basis |
|------------------------------|-----------|-------------------------------------|--|-------|
| dipotassium peroxodisulphate | 7727-21-1 | TWA                                 | 0.1 mg/m3<br>(Persulphate)                     | ACGIH |

**Engineering measures** : If user operations generate dust, fumes, gas, vapor or mist,

use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

# Personal protective equipment

Respiratory protection : Respirator selection must be based on known or anticipated

exposure levels, the hazards of the product and the safe

working limits of the selected respirator.

The following respirator is recommended if airborne concen-

trations exceed the appropriate standard/guideline.

NIOSH approved, air-purifying particulate respirator with N-

95 filters.

Hand protection

Material : Butyl rubber - IIR

Wearing time : < 60 min

Eye protection : Safety glasses with side-shields

If inhalation hazards exist, a full-face respirator may be re-

quired instead.

Skin and body protection : Wear suitable protective clothing.

Hygiene measures : Wash hands, forearms and face thoroughly after handling

chemical products, before eating, smoking and using the

lavatory and at the end of the working period.

Appropriate techniques should be used to remove potentially

contaminated clothing.

Wash contaminated clothing before reusing.

Ensure that eyewash stations and safety showers are close

to the workstation location.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : powder

Colour : yellow

Odour : No data available

5/22



# Virkon™ S (Reduced Dye and Fragrance free)

Version Revision Date: SDS Number: Date of last issue: 1.0 09/30/2020 203000008923 Country / Language: US / EN

Odour Threshold : No data available

pH : 2.2 - 2.7

Concentration: 1 %

Melting point/range : No data available

Boiling point/boiling range : No data available

Flash point : No data available

Evaporation rate : No data available

Self-ignition : No data available

Burning number : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower :

flammability limit

No data available

Vapour pressure : No data available

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility : 65 g/l

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Explosive properties : No data available

Oxidizing properties : No data available

**SECTION 10. STABILITY AND REACTIVITY** 

Reactivity : No specific test data related to reactivity available for this

6/22



# Virkon™ S (Reduced Dye and Fragrance free)

Version Revision Date: SDS Number: Date of last issue: -

1.0 09/30/2020 203000008923 Country / Language: US / EN

product or its ingredients.

Chemical stability : The product is chemically stable.

Possibility of hazardous reac-

tions

No dangerous reaction known under conditions of normal use.

Conditions to avoid : Exposure to moisture

Incompatible materials : Strong bases

Combustible material

Acids

Oxidizing agents

brass Copper

Halogenated compounds

Cyanides

Heavy metal salts

Hazardous decomposition

products

Oxygen Chlorine

Sulphur oxides Hypochlorites

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

The most important known symptoms and effects are described in Section 2 and/or Section 4.

#### Information on likely routes of exposure

Eye contact Skin contact Ingestion

#### **Acute toxicity**

Not classified based on available information.

#### **Product:**

Acute oral toxicity : LD50 (Rat, male and female): 4,123 mg/kg

Method: OECD Test Guideline 401

GLP: yes

Acute inhalation toxicity : LC50 (Rat): 3.7 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Remarks: the particle size measurements of the product indicate that it is not respirable and therefore not bioavailable by

the inhalation route.

7/22



# Virkon™ S (Reduced Dye and Fragrance free)

Version Revision Date: SDS Number: Date of last issue: -

1.0 09/30/2020 203000008923 Country / Language: US / EN

Acute dermal toxicity : LD50 (Rat, male and female): 2,200 mg/kg

Remarks: Extrapolation according to Regulation (EC) No.

440/2008

**Components:** 

pentapotassium bis(peroxymonosulphate) bis(sulphate):

Acute oral toxicity : LD50 (Rat, male and female): 500 mg/kg

Method: OECD Test Guideline 423

Acute inhalation toxicity : LC0 (Rat, male): > 5 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Remarks: Highest producible concentration.

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Method: OECD Test Guideline 402

Remarks: Extrapolation according to Regulation (EC) No.

440/2008

sodium dodecylbenzenesulfonate:

Acute oral toxicity : LD50 (Rat): 438 mg/kg

malic acid:

Acute oral toxicity : LD50 (Rat, male and female): 3,500 mg/kg

Method: OECD Test Guideline 401

GLP: no

Acute inhalation toxicity : LC0 (Rat, male and female): > 1.306 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Remarks: Highest producible concentration.

Acute dermal toxicity : LD50 (Rabbit, female): > 5,000 mg/kg

Method: OECD Test Guideline 401

GLP: no

sulphamidic acid:

Acute oral toxicity : LD50 (Rat, female): 2,140 mg/kg

Method: OECD Test Guideline 401

GLP: yes

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg

Method: OECD Test Guideline 402

8/22



# Virkon™ S (Reduced Dye and Fragrance free)

Version Revision Date: SDS Number: Date of last issue: -

1.0 09/30/2020 203000008923 Country / Language: US / EN

GLP: yes

Assessment: The substance or mixture has no acute dermal

toxicity

potassium hydrogensulphate:

Acute oral toxicity : LD50 (Rat): 2,340 mg/kg

dipotassium peroxodisulphate:

Acute oral toxicity : LD50 (Rat): 700 mg/kg

Acute inhalation toxicity : LC0 (Rat): > 2.95 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Remarks: Highest producible concentration.

Acute dermal toxicity : LD50 (Rabbit): > 10,000 mg/kg

Skin corrosion/irritation

Causes skin irritation.

**Product:** 

Species : Rabbit

Method : OECD Test Guideline 404

Result : Irritating to skin.

Components:

pentapotassium bis(peroxymonosulphate) bis(sulphate):

Species : Rabbit

Method : OECD Test Guideline 404

Result : Causes burns.

sodium dodecylbenzenesulfonate:

Assessment : Irritating to skin.

malic acid:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

sulphamidic acid:

Species : Rabbit

Method : OECD Test Guideline 404

Result : Irritating to skin.

potassium hydrogensulphate:

9/22



# Virkon™ S (Reduced Dye and Fragrance free)

Version Revision Date: SDS Number: Date of last issue: -

1.0 09/30/2020 203000008923 Country / Language: US / EN

Assessment : Causes burns.

dipotassium peroxodisulphate:

Species : Rabbit

Method : OECD Test Guideline 404

Result : Irritating to skin.

Serious eye damage/eye irritation

Causes serious eye damage.

Product:

Species : Rabbit

Result : Risk of serious damage to eyes.

**Components:** 

pentapotassium bis(peroxymonosulphate) bis(sulphate):

Species : Rabbit

Result : Risk of serious damage to eyes.

Method : OECD Test Guideline 405

sodium dodecylbenzenesulfonate:

Assessment : Risk of serious damage to eyes.

malic acid:

Species : Rabbit

Result : Irritating to eyes.

Method : OECD Test Guideline 405

sulphamidic acid:

Species : Rabbit

Result : Irritating to eyes.

Method : OECD Test Guideline 405

dipotassium peroxodisulphate:

Result : Irritating to eyes.

Respiratory or skin sensitisation

Skin sensitisation

Print Date: 12/20/2023

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.



# Virkon™ S (Reduced Dye and Fragrance free)

Version Revision Date: SDS Number: Date of last issue: -

1.0 09/30/2020 203000008923 Country / Language: US / EN

**Product:** 

Exposure routes : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : Did not cause sensitisation on laboratory animals.

Exposure routes : Inhalation

Species : Mammal - species unspecified

Method : Expert judgement

Result : Does not cause respiratory sensitisation.

# **Components:**

#### pentapotassium bis(peroxymonosulphate) bis(sulphate):

Exposure routes : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : Does not cause skin sensitisation.

malic acid:

Exposure routes : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : Did not cause sensitisation on laboratory animals.

GLP : yes

sulphamidic acid:

Result : Did not cause sensitisation on laboratory animals.

# dipotassium peroxodisulphate:

Exposure routes : Inhalation

Species : Mammal - species unspecified

Result : May cause sensitisation by inhalation.

Exposure routes : Skin contact Species : Mouse

Method : OECD Test Guideline 429

Result : May cause sensitisation by skin contact.

#### Germ cell mutagenicity

Not classified based on available information.

#### Components:

# pentapotassium bis(peroxymonosulphate) bis(sulphate):

Genotoxicity in vitro : Test system: Mammalian-Animal

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

11 / 22



# Virkon™ S (Reduced Dye and Fragrance free)

Version 1.0

Revision Date: 09/30/2020

SDS Number: 203000008923

Date of last issue: -

Country / Language: US / EN

Result: positive GLP: yes

Test system: Bacteria

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative GLP: yes

Test system: Mammalian-Human

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: positive GLP: yes

Genotoxicity in vivo

Species: Mammalian-Animal

Application Route: Oral

Method: OECD Test Guideline 474

Result: negative

malic acid:

Genotoxicity in vitro

Remarks: Not mutagenic in a standard battery of genetic toxi-

cological tests.

sulphamidic acid:

Genotoxicity in vitro

Test system: Mammalian-Human

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 487

Result: negative GLP: yes

Test system: Mammalian-Animal

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Test system: Bacteria

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

dipotassium peroxodisulphate:

Genotoxicity in vitro : Remarks: Not mutagenic in a standard battery of genetic toxi-

cological tests.

Carcinogenicity

Not classified based on available information.

IARC No component of this product present at levels greater than or equal to 0.1% is

12 / 22



# Virkon™ S (Reduced Dye and Fragrance free)

Version Revision Date: SDS Number: Date of last issue: -

1.0 09/30/2020 203000008923 Country / Language: US / EN

identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA**No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

#### Reproductive toxicity

Not classified based on available information.

#### **Components:**

# pentapotassium bis(peroxymonosulphate) bis(sulphate):

Effects on foetal develop- : Remarks: No teratogenic or fetotoxic effects were found at all

ment dose levels tested.

malic acid:

Effects on foetal develop: Remarks: No known significant effects or critical hazards.

ment

#### STOT - single exposure

Not classified based on available information.

## **Components:**

#### potassium hydrogensulphate:

Assessment : May cause respiratory irritation.

#### dipotassium peroxodisulphate:

Assessment : May cause respiratory irritation.

# STOT - repeated exposure

Not classified based on available information.

#### Repeated dose toxicity

#### **Components:**

#### pentapotassium bis(peroxymonosulphate) bis(sulphate):

Species : Rat, male and female

LOAEL : > 1,000 mg/kg

Application Route : Oral Exposure time : 28 d

Number of exposures : 7 days/week

Method : OECD Test Guideline 407

Remarks : Subacute toxicity

Species : Rat, male and female

13 / 22



# Virkon™ S (Reduced Dye and Fragrance free)

Version Revision Date: SDS Number: Date of last issue: -

1.0 09/30/2020 203000008923 Country / Language: US / EN

LOAEL : 600 mg/kg Application Route : Oral Exposure time : 90 d

Number of exposures : 7 days/week

Method : OECD Test Guideline 408

Remarks : Subchronic toxicity

sodium dodecylbenzenesulfonate:

Species : Rat
NOAEL : 220 mg/kg
Application Route : Oral
Dose : 220 mg/kg
Remarks : Chronic toxicity

malic acid:

Remarks : No known significant effects or critical hazards.

**Aspiration toxicity** 

Not classified based on available information.

#### **SECTION 12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

# **Components:**

#### pentapotassium bis(peroxymonosulphate) bis(sulphate):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 53 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

GLP: yes

Remarks: Fresh water

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 3.5 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

GLP: yes

Remarks: Fresh water

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (microalgae)): > 1 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

GLP: yes

Remarks: Fresh water

NOEC (Pseudokirchneriella subcapitata (microalgae)): 0.5

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

14 / 22



# Virkon™ S (Reduced Dye and Fragrance free)

Version Revision Date: SDS Number: Date of last issue: -

1.0 09/30/2020 203000008923 Country / Language: US / EN

GLP: yes

Remarks: Fresh water

sodium dodecylbenzenesulfonate:

Toxicity to fish (Chronic tox-

icity)

NOEC (Oncorhynchus kisutch (coho salmon)): 3.1 mg/l

Exposure time: 3 Days

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 4 mg/l

Exposure time: 7 Days

malic acid:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

GLP: yes

Remarks: Fresh water

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 240 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

GLP: yes

Remarks: Fresh water

Toxicity to algae/aquatic

plants

EC50 (algae): > 100 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

GLP: yes

Remarks: Fresh water

NOEC (algae): 100 mg/l Exposure time: 72 h

Method: OECD Test Guideline 201

GLP: yes

Remarks: Fresh water

sulphamidic acid:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 70.3 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

GLP: no

Remarks: Fresh water

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 71.6 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

GLP: yes

Remarks: Fresh water

15 / 22



# Virkon™ S (Reduced Dye and Fragrance free)

Version Revision Date: SDS Number: Date of last issue: -

1.0 09/30/2020 203000008923 Country / Language: US / EN

Toxicity to algae/aquatic

plants

EC50 (Desmodesmus subspicatus (green algae)): 48 mg/l

End point: Growth rate Exposure time: 72 h

Method: OECD Test Guideline 201

GLP: yes

Remarks: Fresh water

NOEC (Desmodesmus subspicatus (green algae)): 18 mg/l

End point: Growth rate Exposure time: 72 h

Method: OECD Test Guideline 201

GLP: yes

Remarks: Fresh water

Toxicity to fish (Chronic tox-

icity)

NOEC (Danio rerio (zebra fish)): >= 60 mg/l

Exposure time: 34 d

Method: OECD Test Guideline 210

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 19 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

Toxicity to microorganisms : EC50: > 200 mg/l

End point: Respiration inhibition

Exposure time: 3 h

Method: OECD Test Guideline 209

GLP: yes

Remarks: Fresh water

dipotassium peroxodisulphate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 76.3 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 120 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

: EC50 (Pseudokirchneriella subcapitata (microalgae)): 83.7

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

**Ecotoxicology Assessment** 

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

Persistence and degradability

Components:

pentapotassium bis(peroxymonosulphate) bis(sulphate):

Biodegradability : Result: The methods for determining the biological degradabil-

16 / 22



# Virkon™ S (Reduced Dye and Fragrance free)

Version Revision Date: SDS Number: Date of last issue: -

1.0 09/30/2020 203000008923 Country / Language: US / EN

ity are not applicable to inorganic substances.

malic acid:

Biodegradability : aerobic

Result: Readily biodegradable. Biodegradation: 67.5 % Exposure time: 28 d

Method: OECD Test Guideline 301B

GLP: yes

sulphamidic acid:

Biodegradability : Result: The methods for determining the biological degradabil-

ity are not applicable to inorganic substances.

dipotassium peroxodisulphate:

Biodegradability : Result: The methods for determining the biological degradabil-

ity are not applicable to inorganic substances.

Bioaccumulative potential

**Components:** 

pentapotassium bis(peroxymonosulphate) bis(sulphate):

Partition coefficient: n- : log Pow: < 0.3

octanol/water Method: OECD Test Guideline 117

sodium dodecylbenzenesulfonate:

Bioaccumulation : Bioconcentration factor (BCF): 220

Partition coefficient: n-

octanol/water

log Pow: 0.45

malic acid:

Partition coefficient: n-

octanol/water

: log Pow: -1.26

sulphamidic acid:

Partition coefficient: n-

octanol/water

: log Pow: -4.34

Mobility in soil

No data available

Other adverse effects

No data available

17 / 22



# Virkon™ S (Reduced Dye and Fragrance free)

Version Revision Date: SDS Number: Date of last issue: -

1.0 09/30/2020 203000008923 Country / Language: US / EN

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

#### **Disposal methods**

RCRA - Resource Conserva- : tion and Recovery Authoriza-

tion Act

If discarded in its purchased form, this product would not be a hazardous waste either by listing or by characteristic. However, under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classified as a hazardous waste. (40 CFR 261.20-24)

Waste from residues The generation of waste should be avoided or minimized

wherever possible.

This material and its container must be disposed of in a safe

Empty containers retain product residue; observe all precau-

tions for product.

Avoid dispersal of spilled material and runoff and contact with

soil, waterways, drains and sewers.

Waste disposal should be in accordance with existing federal,

state, provincial and/or local environmental controls.

#### **SECTION 14. TRANSPORT INFORMATION**

#### International Regulations

#### **IATA-DGR**

Not regulated as a dangerous good

#### **IMDG-Code**

Not regulated as a dangerous good

# Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

## **National Regulations**

**49 CFR** 

Print Date: 12/20/2023

UN 3077 UN/ID/NA number

Proper shipping name Environmentally hazardous substance, solid, n.o.s.

(SODIUM DODECYLBENZENESULFONATE)

Class 9 Packing group Ш Labels



**ERG Code** 171

7,168.46 lb RQ

Marine pollutant no



# Virkon™ S (Reduced Dye and Fragrance free)

Version Revision Date: SDS Number: Date of last issue: -

1.0 09/30/2020 203000008923 Country / Language: US / EN

When in individual containers of less than the Product RQ, this material ships as non-regulated. Hazard and Handling Notes. Risk of serious damage to eyes, Keep dry., Keep separated

from foodstuffs

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### **SECTION 15. REGULATORY INFORMATION**

# **CERCLA Reportable Quantity**

| Components                     | CAS-No.    | Component RQ | Calculated product RQ |
|--------------------------------|------------|--------------|-----------------------|
|                                |            | (lbs)        | (lbs)                 |
| sodium dodecylbenzenesulfonate | 25155-30-0 | 1000         | 7168                  |

## SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards Skin corrosion or irritation

Serious eye damage or eye irritation

**SARA 313** This material does not contain any chemical components with

> known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### **US State Regulations**

## Massachusetts Right To Know

| sodium dodecylbenzenesulfonate | 25155-30-0 | >= 10 - < 20 |
|--------------------------------|------------|--------------|
| vania Bight Ta Know            |            |              |

# Pennsylvania Right To Know

| pentapotassium bis(peroxymonosulphate) | 70693-62-8 | >= 50 - < 70 |
|--|------------|--------------|
| bis(sulphate)                          |            |              |
| Polyphosphoric acids, sodium salts     | 68915-31-1 | > 1          |
| sodium dodecylbenzenesulfonate         | 25155-30-0 | >= 10 - < 20 |
| malic acid                             | 6915-15-7  | >= 5 - < 10  |
| sulphamidic acid                       | 5329-14-6  | >= 1 - < 5   |
| dipotassium peroxodisulphate           | 7727-21-1  | >= 1 - < 5   |
|  |            |              |

#### California Prop. 65

WARNING: This product can expose you to chemicals including tetrasodium hexacyanoferrate, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

#### **TSCA** inventory

**TSCA** This product is regulated under the United States Federal

Insecticide, Fungicide and Rodenticide Act (FIFRA).

19 / 22



# Virkon™ S (Reduced Dye and Fragrance free)

Version Revision Date: SDS Number: Date of last issue: -

1.0 09/30/2020 203000008923 Country / Language: US / EN

#### **TSCA list**

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

#### **FIFRA** information

EPA registration number : 39967-137

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Signal word : DANGER

Hazard statements : Powder is corrosive. Causes irreversible eye damage and skin

burns. Harmful if swallowed or absorbed through skin. Corrosive statement does not refer to 1% in-use solution. FIFRA

Registered Composition:

Active Ingredients:

Potassium peroxymonosulfate (CAS# 10058-23-8) 21.41%

Sodium chloride (CAS# 7647-14-5) 1.5%

Other Ingredients 77.09%

Total: 100%"

#### **SECTION 16. OTHER INFORMATION**

## **Further information**




# Virkon™ S (Reduced Dye and Fragrance free)

Version Revision Date: SDS Number: Date of last issue: -

1.0 09/30/2020 203000008923 Country / Language: US / EN

#### NFPA 704:



Special hazard

#### HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

#### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice: HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration: ICAO - International Civil Aviation Organization: IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships: MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level: NOELR - No Observable Effect Loading Rate: NTP - National Toxicology Program: NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable



# Virkon™ S (Reduced Dye and Fragrance free)

Version Revision Date: SDS Number: Date of last issue: -

1.0 09/30/2020 203000008923 Country / Language: US / EN

Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 09/30/2020

The data contained in this Safety Data Sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered to be a guidance for processing and does not contain any warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. It is the responsibility of the recipient of the product to ensure that any proprietary rights and existing laws and legislation are observed.